Author Index, Volume 11*

A

Akisue T (*see* Yamamoto et al). 2002;11:92-4 (Case rep.)
Albo F (*see* Postacchini et al). 2002;11:452-6
Altchek DW (*see* Mancuso et al). 2002;11:529-40
Altchek DW (*see* Marx et al). 2002;11:1-5
Anetzberger HM (*see* Schulz et al). 2002;11:174-81
Antoniou J (*see* Iannotti et al). 2002;11:618-23
Antuña S, Sperling JW, Cofield RH. Reimplantation of a glenoid component after component removal and allograft bone grafting: a report of 3 cases. 2002; 11:637-41 (Case rep.)
Antuña SA, Sperling JW, Sánchez-Sotelo J, Cofield RH. Shoulder arthroplasty for proximal humeral nonunions. 2002;11:114-21
Antuña SA, Sperling JW, Sánchez-Sotelo J, Cofield RH. Shoulder arthroplasty for proximal humeral malunions: long-term results. 2002;11:122-9
Armstrong AD, Dunning CE, Faber KJ, Johnson JA, King GJW. Single-strand reconstruction of the medial collateral ligament restores valgus elbow stability. 2002;11:65-71
Asano H, Mimori K, Shinomiya K. A case of post-traumatic osteolysis of the distal clavicle: histologic lesion of the acromion. 2002;11:182-7 (Case rep.)
Ascani C (*see* Walch et al). 2002;11:309-14
Atay Ö (*see* Aydingöz et al). 2002;11:274-7 (Case rep.)
Avidor C (*see* Boileau et al). 2002;11:351-9
Aydingöz Ü, Leblebicioglu G, Gedikoglu G, Atay Ö. Pigmented villonodular synovitis of the elbow in a 6-year old girl. 2002;11:274-7 (Case rep.)

B

Bachus KN (*see* Greis et al). 2002;11:442-51
Backman DS (*see* Uhthoff et al). 2002;11:504-9
Bae H (*see* Guyette et al). 2002;11:299-304
Bailie DS (*see* Ellenbecker et al). 2002;11:470-5
Balint CR (*see* Toczylowski et al). 2002;11:516-18 (Case rep.)
Ball CM, Meunier M, Galatz LM, Calfee R, Yamaguchi K. Arthroscopic treatment of post-traumatic elbow contracture. 2002;11:624-9
Ballmer FT (*see* Hertel et al). 2002;11:331-8
Baratta RV (*see* Edwards et al). 2002;11:40-7
Barrack RL (*see* Brinker et al). 2002;11:463-9
Barthel T (*see* Walther et al). 2002;11:265-70
Bauer G (*see* Herrera et al). 2002;11:605-8
Becker CR (*see* Schulz et al). 2002;11:174-81
Bell SN (*see* Chan et al). 2002;11:235-8
Belt EA (*see* Lehtinen et al). 2002;11:253-8
Benda PM (*see* Woodhouse et al). 2002;11:645-7 (Case rep.)
Bernstein AD (*see* Breslow et al). 2002;11:225-9
Besjakov J (*see* Karlsson et al). 2002;11:377-82
Bey MJ, Ramsey ML, Soslowsky LJ. Intratendinous strain fields of the supraspinatus tendon: effect of a surgically created articular-surface rotator cuff tear. 2002;11:562-9
Bigliani LU (*see* Herrera et al). 2002;11:605-8
Birdzell MG (*see* Kaplan et al). 2002;11:633-6 (Case rep.)
Björkenheim J-M (*see* Pajarinen and Björkenheim). 2002;11:48-52
Blair SD (*see* Emms et al). 2002;11:271-3 (Case rep.)
Boardman M (*see* Toczylowski et al). 2002;11:516-18 (Case rep.)
Boileau P, Avidor C, Krishnan SG, Walch G, Kempf J-F, Molé D. Cemented polyethylene versus uncemented metal-backed glenoid components in total shoulder arthroplasty: a prospective, double-blind, randomized study. 2002;11:351-9
Boileau P, Krishnan SG, Tinsi L, Walch G, Coste JS, Molé D. Tuberosity malposition and migration: reasons for poor outcomes after hemiarthroplasty for displaced fractures of the proximal humerus. 2002; 11:401-12
Boileau P (*see* Godneche et al). 2002;11:11-18
Bostick RD (*see* Edwards et al). 2002;11:40-7
Boulahia A (*see* Walch et al). 2002;11:309-14
Breslow MJ, Jazrawi LM, Bernstein AD, Kummer FJ, Rokito AS. Treatment of acromioclavicular joint: suture or suture anchors? 2002;11:225-9
Brinker MR, Cuomo JS, Popham GJ, O'Connor DP, Barrack RL. An examination of bias in shoulder scoring instruments among healthy collegiate and recreational athletes. 2002;11:463-9
Brooks PV (*see* Kibler et al). 2002;11:529-40
Brown SW (*see* Ellenbecker et al). 2002;11:470-5
Brownson P (*see* Livesey et al). 2002;11:642-4 (Case rep.)
Bryant C (*see* Bryant et al). 2002;11:219-24
Bryant L, Shnier R, Bryant C, Murrell GAC. A comparison of clinical estimation, ultrasonography, magnetic resonance imaging, and arthroscopy in determining the size of rotator cuff tears. 2002;11:219-24
Bühler M, Gerber C. Shoulder instability related to epileptic seizures. 2002;11:339-44
Bunker TD. Open surgical release for frozen shoulder: surgical findings and results of the release. 2002; 11:200 (Letter reply)
Burkhead WZ Jr (*see* Takase et al). 2002;11:557-61
Burks RT (*see* Greis et al). 2002;11:442-51
Buss DD (*see* Ortiguera and Buss). 2002;11:521-8

* January/February, pp. 1-100; March/April, pp. 101-200; May/June, pp. 201-298; July/August, pp. 400; September/October, pp. 401-528; November/December, pp. 529-XXX.

Author Index, Volume 11*

A

Akisue T (*see* Yamamoto et al). 2002;11:92-4 (Case rep.)
Albo F (*see* Postacchini et al). 2002;11:452-6
Altchek DW (*see* Mancuso et al). 2002;11:529-40
Altchek DW (*see* Marx et al). 2002;11:1-5
Anetzberger HM (*see* Schulz et al). 2002;11:174-81
Antoniou J (*see* Iannotti et al). 2002;11:618-23
Antuña S, Sperling JW, Cofield RH. Reimplantation of a glenoid component after component removal and allograft bone grafting: a report of 3 cases. 2002; 11:637-41 (Case rep.)
Antuña SA, Sperling JW, Sánchez-Sotelo J, Cofield RH. Shoulder arthroplasty for proximal humeral nonunions. 2002;11:114-21
Antuña SA, Sperling JW, Sánchez-Sotelo J, Cofield RH. Shoulder arthroplasty for proximal humeral malunions: long-term results. 2002;11:122-9
Armstrong AD, Dunning CE, Faber KJ, Johnson JA, King GJW. Single-strand reconstruction of the medial collateral ligament restores valgus elbow stability. 2002;11:65-71
Asano H, Mimori K, Shinomiya K. A case of post-traumatic osteolysis of the distal clavicle: histologic lesion of the acromion. 2002;11:182-7 (Case rep.)
Ascani C (*see* Walch et al). 2002;11:309-14
Atay Ö (*see* Aydingöz et al). 2002;11:274-7 (Case rep.)
Avidor C (*see* Boileau et al). 2002;11:351-9
Aydingöz Ü, Leblebicioglu G, Gedikoglu G, Atay Ö. Pigmented villonodular synovitis of the elbow in a 6-year old girl. 2002;11:274-7 (Case rep.)

B

Bachus KN (*see* Greis et al). 2002;11:442-51
Backman DS (*see* Uhthoff et al). 2002;11:504-9
Bae H (*see* Guyette et al). 2002;11:299-304
Bailie DS (*see* Ellenbecker et al). 2002;11:470-5
Balint CR (*see* Toczylowski et al). 2002;11:516-18 (Case rep.)
Ball CM, Meunier M, Galatz LM, Calfee R, Yamaguchi K. Arthroscopic treatment of post-traumatic elbow contracture. 2002;11:624-9
Ballmer FT (*see* Hertel et al). 2002;11:331-8
Baratta RV (*see* Edwards et al). 2002;11:40-7
Barrack RL (*see* Brinker et al). 2002;11:463-9
Barthel T (*see* Walther et al). 2002;11:265-70
Bauer G (*see* Herrera et al). 2002;11:605-8
Becker CR (*see* Schulz et al). 2002;11:174-81
Bell SN (*see* Chan et al). 2002;11:235-8
Belt EA (*see* Lehtinen et al). 2002;11:253-8
Benda PM (*see* Woodhouse et al). 2002;11:645-7 (Case rep.)
Bernstein AD (*see* Breslow et al). 2002;11:225-9
Besjakov J (*see* Karlsson et al). 2002;11:377-82
Bey MJ, Ramsey ML, Soslowsky LJ. Intratendinous strain fields of the supraspinatus tendon: effect of a surgically created articular-surface rotator cuff tear. 2002;11:562-9
Bigliani LU (*see* Herrera et al). 2002;11:605-8
Birdzell MG (*see* Kaplan et al). 2002;11:633-6 (Case rep.)
Björkenheim J-M (*see* Pajarinen and Björkenheim). 2002;11:48-52
Blair SD (*see* Emms et al). 2002;11:271-3 (Case rep.)
Boardman M (*see* Toczylowski et al). 2002;11:516-18 (Case rep.)
Boileau P, Avidor C, Krishnan SG, Walch G, Kempf J-F, Molé D. Cemented polyethylene versus uncemented metal-backed glenoid components in total shoulder arthroplasty: a prospective, double-blind, randomized study. 2002;11:351-9
Boileau P, Krishnan SG, Tinsi L, Walch G, Coste JS, Molé D. Tuberosity malposition and migration: reasons for poor outcomes after hemiarthroplasty for displaced fractures of the proximal humerus. 2002; 11:401-12
Boileau P (*see* Godneche et al). 2002;11:11-18
Bostick RD (*see* Edwards et al). 2002;11:40-7
Boulahia A (*see* Walch et al). 2002;11:309-14
Breslow MJ, Jazrawi LM, Bernstein AD, Kummer FJ, Rokito AS. Treatment of acromioclavicular joint: suture or suture anchors? 2002;11:225-9
Brinker MR, Cuomo JS, Popham GJ, O'Connor DP, Barrack RL. An examination of bias in shoulder scoring instruments among healthy collegiate and recreational athletes. 2002;11:463-9
Brooks PV (*see* Kibler et al). 2002;11:529-40
Brown SW (*see* Ellenbecker et al). 2002;11:470-5
Brownson P (*see* Livesey et al). 2002;11:642-4 (Case rep.)
Bryant C (*see* Bryant et al). 2002;11:219-24
Bryant L, Shnier R, Bryant C, Murrell GAC. A comparison of clinical estimation, ultrasonography, magnetic resonance imaging, and arthroscopy in determining the size of rotator cuff tears. 2002;11:219-24
Bühler M, Gerber C. Shoulder instability related to epileptic seizures. 2002;11:339-44
Bunker TD. Open surgical release for frozen shoulder: surgical findings and results of the release. 2002; 11:200 (Letter reply)
Burkhead WZ Jr (*see* Takase et al). 2002;11:557-61
Burks RT (*see* Greis et al). 2002;11:442-51
Buss DD (*see* Ortiguera and Buss). 2002;11:521-8

* January/February, pp. 1-100; March/April, pp. 101-200; May/June, pp. 201-298; July/August, pp. 400; September/October, pp. 401-528; November/December, pp. 529-XXX.

C

Calfee R (see Ball et al). 2002;11:624-9
Cameron BD, Galatz LM, Ramsey ML, Williams GR, Iannotti JP. Non-prosthetic management of grade IV osteochondral lesions of the glenohumeral joint. 2002;11:25-32
Campbell B (see Hasan et al). 2002;11:431-41
Campbell DA (see Dugas et al). 2002;11:498-503
Carfagno DG (see Ellenbecker et al). 2002;11:470-5
Carpenter JE (see Spencer et al). 2002;11:43-7
Carpenter JE (see Thomopoulos et al). 2002;11:239-47
Chakrabarti AJ (see Chan et al). 2002;11:235-8
Chan B-K, Chakrabarti AJ, Bell SN. An alternative portal for scapulothoracic arthroscopy. 2002;11:235-8
Chase JM (see Fenlin et al). 2002;11:136-42
Checroun AJ, Hawkins C, Kummer FJ, Zuckerman JD. Fit of current glenoid component designs: an anatomic cadaver study. 2002;11:614-17
Chen F (see Itamura et al). 2002;11:322-6
Cofield RH (see Antuña et al). 2002;11:114-21
Cofield RH (see Antuña et al). 2002;11:122-9
Cofield RH (see Antuña et al). 2002;11:637-41 (Case rep.)
Cole BJ (see Noerdlinger et al). 2002;11:345-50
Copeland SA (see Massoud et al). 2002;11:305-8
Copeland SA (see Massoud et al). 2002;11:481-5
Copeland SA (see Massoud et al). 2002;11:609-13
Copeland SA (see Tytherleigh-Strong et al). 2002;11:230-4
Corrigan TM (see Roberts et al). 2002;11:595-9
Coste JS (see Boileau et al). 2002;11:401-12
Craig E (see Guyette et al). 2002;11:299-304
Craig EV (see Mancuso et al). 2002;11:529-40
Craig EV (see Marx et al). 2002;11:1-5
Craig EV (see Sperling et al). 2002;11:315-21
Crosby KA (see Iannotti et al). 2002;11:457-62
Cuomo JS (see Brinker et al). 2002;11:463-9

D

Daecke W, Kusnierczak D, Loew M. Long-term effects of extracorporeal shockwave therapy in chronic calcific tendinitis of the shoulder. 2002;11:476-80
Dainton JN, Hutchins PM. A medium-term follow-up study of 44 Souter-Strathclyde elbow arthroplasties carried out for rheumatoid arthritis. 2002;11:486-92
Davila JN (see Roberts et al). 2002;11:595-9
Dent JA (see Prakash et al). 2002;11:428-30
De Santis P (see Postacchini et al). 2002;11:452-6
De Smet L (see Muermans and De Smet). 2002;11:248-52
Dietrick T (see Itamura et al). 2002;11:322-6
Dossche L, Naert PA, Van Bouwel S. Persistent aseptic fistula after rotator cuff repair: fistuloscopic approach. 2002;11:86-7 (Case rep.)
Drez D (see Edwards et al). 2002;11:40-7
Duckworth MA (see Nicholson and Duckworth). 2002;11:80-5
Dugas JR, Campbell DA, Warren RF, Robie BH, Millett PJ. Anatomy and dimensions of rotator cuff insertions. 2002;11:498-503
Dunning CE (see Armstrong et al). 2002;11:65-71
Dunning CE (see King et al). 2002;11:60-4

E

Edwards TB, Bostick RD, Greene CC, Baratta RV, Drez D. Interobserver and intraobserver reliability of the measurement of shoulder internal rotation by vertebral level. 2002;11:40-7
Edwards TB (see Godneche et al). 2002;11:11-18
Edwards TB (see Walch et al). 2002;11:309-14
Ellenbecker TS, Bailie DS, Mattalino AJ, Carfagno DG, Wolff MW, Brown SW, Kulikowich JM. Intrarater and interrater reliability of a manual technique to assess anterior humeral head translation of the glenohumeral joint. 2002;11:470-5
Emms NW, Morris AD, Kaye JC, Blair SD. Subclavian vein obstruction caused by an unreduced type II Salter Harris injury of the medial clavicular physis. 2002;11:271-3 (Case rep.)
Eygendaal D (see Seki et al). 2002;11:53-9

F

Faber KJ (see Armstrong et al). 2002;11:65-71
Favard L (see Godneche et al). 2002;11:11-18
Fehringer EV (see Woodhouse et al). 2002;11:645-7 (Case rep.)
Fenlin JM Jr, Chase JM, Rushton SA, Frieman BG. Tuberoplasty: creation of an acromiohumeral articulation—a treatment option for massive, irreparable rotator cuff tears. 2002;11:136-42
Ferraz IC, Papadimitriou NG, Sotereanos DG. Scapular body nonunion: a case report. 2002;11:98-100 (Case rep.)
Fink B, Krey D, Schmielau G, Tillmann K, Rüther W. Results of elbow endoprotheses in patients with rheumatoid arthritis in correlation with previous operations. 2002;11:360-7
Fitzgerald BT, Watson BT, Lapoint JM. The use of thermal capsulorrhaphy in the treatment of multidirectional instability. 2002;11:108-13
Flanagan CL (see Thomopoulos et al). 2002;11:239-47
Flatow E (see Sperling et al). 2002;11:315-21
Frankle MA, Ondrovic LE, Markee BA, Harris ML, Lee WE III. Stability of tuberosity reattachment in proximal humeral hemiarthroplasty. 2002;11:413-20
Frieman BG (see Fenlin et al). 2002;11:136-42
Frisancho JC (see Malicky et al). 2002;11:529-40
Fritz RC (see Piatt et al). 2002;11:600-4
Fu FH (see Swanik et al). 2002;11:579-86
Fuentes DL (see Toro et al). 2002;11:188-90 (Case rep.)

G

Galatz LM (see Ball et al). 2002;11:624-9
Galatz LM (see Cameron et al). 2002;11:25-32
Gedikoglu G (see Aydingöz et al). 2002;11:274-7 (Case rep.)
Gerber C (see Bühler and Gerber). 2002;11:339-44
Gerber C (see Koch et al). 2002;11:143-50
Gilchrist AD, McKee MD. Valgus instability of the elbow due to medial epicondyle nonunion: treatment by fragment excision and ligament repair—a report of 5 cases. 2002;11:493-7
Gill TJ, McIrvin E, Kocher MS, Homa K, Mair SD,

Hawkins RJ. The relative importance of acromial morphology and age with respect to rotator cuff pathology. 2002;11:327-30
Gill TJ (*see* Werner et al). 2002;11:151-5
Godèneche A, Boileau P, Favard L, Le Huec J-C, Lévigne C, Nové-Josserand L, Walch G, Edwards TB. Prosthetic replacement in the treatment of osteoarthritis of the shoulder: early results of 268 cases. 2002;11:11-18
Gohlke F (*see* Walther et al). 2002;11:265-70
Goradia VK (*see* Mullen et al). 2002;11:259-64
Goulet R (*see* Iannotti et al). 2002;11:457-62
Grayson G (*see* Iannotti et al). 2002;11:457-62
Greene CC (*see* Edwards et al). 2002;11:40-7
Greis PE, Scuderi MG, Mohr A, Bachus KN, Burks RT. Glenohumeral articular contact areas and pressures following labral and osseous injury to the anteroinferior quadrant of the glenoid. 2002;11:442-51
Gross DFL (*see* Koch et al). 2002;11:143-50
Gumina S (*see* Postacchini et al). 2002;11:452-6
Guyette TM, Bae H, Warren RF, Craig E, Wickiewicz TL. Results of arthroscopic subacromial decompression in patients with subacromial impingement and glenohumeral degenerative joint disease. 2002;11:299-304

H

Hamada J (*see* Tamai et al). 2002;11:421-7
Hancock RE (*see* Motamedi et al). 2002;11:6-10
Harada M, Ogino T, Takahara M, Ishigaki D, Kashiwa H, Kanauchi Y. Fragment fixation with a bone graft and dynamic staples for osteochondritis dissecans of the humeral capitellum. 2002;11:368-72
Harris ML (*see* Frankle et al). 2002;11:413-20
Hasan SS, Leith JM, Campbell B, Kapil R, Smith KL, Matsen FA III. Characteristics of unsatisfactory shoulder arthroplasties. 2002;11:431-41
Hasan SS, Romeo AA. Nontraumatic osteonecrosis of the humeral head. 2002;11:281-98 (Review article)
Hashimoto J (*see* Inui et al). 2002;11:510-15
Hasserius R (*see* Karlsson et al). 2002;11:377-82
Hawkins C (*see* Checroun et al). 2002;11:614-17
Hawkins RH (*see* Spangehl et al). 2002;11:101-7
Hawkins RJ (*see* Gill et al). 2002;11:327-30
Hawkins RJ (*see* Motamedi et al). 2002;11:6-10
Hawkins RJ (*see* Piatt et al). 2002;11:600-4
Hawkins RJ (*see* Werner et al). 2002;11:151-5
Hayes K, Walton JR, Szomor ZL, Murrell GAC. Reliability of 3 methods for assessing shoulder strength. 2002;11:33-9
Helm AT,. Compression of the brachial plexus in a patient with false aneurysm of the axillary artery as a result of anterior shoulder dislocation. 2002;11:278-9 (Case rep.)
Henrique A. A high radial neuropathy by parosteal lipoma compression. 2002;11:386-8 (Case rep.)
Herrera MF, Bauer G, Reynolds F, Wilk RM, Bigliani LU, Levine WN. Infection after mini-open rotator cuff repair. 2002;11:605-8
Hertel R, Knothe U, Ballmer FT. Geometry of the proximal humerus and implications for prosthetic design. 2002;11:331-8
Himori K (*see* Uhthoff et al). 2002;11:504-9
Hirano M, Ide J, Takagi K. Acromial shapes and extension of rotator cuff tears: magnetic resonance imaging evaluation. 2002;11:576-8
Ho C (*see* Motamedi et al). 2002;11:6-10
Ho CP (*see* Piatt et al). 2002;11:600-4
Homa K (*see* Gill et al). 2002;11:327-30
Hosokawa S (*see* Yukata et al). 2002;11:95-7 (Case rep.)
Hughes RE (*see* Spencer et al). 2002;11:43-7
Hushek SG (*see* Roberts et al). 2002;11:595-9
Huston LJ (*see* Spencer et al). 2002;11:43-7
Hutchins PM (*see* Dainton and Hutchins). 2002;11:486-92

I

Iannotti JP, Antoniou J, Williams GR, Ramsey ML. Iliotibial band reconstruction for treatment of glenohumeral instability associated with irreparable capsular deficiency. 2002;11:618-23
Iannotti JP (*see* Cameron et al). 2002;11:25-32
Iannotti JP (*see* Norris and Iannotti). 2002;11:130-5
Iannotti MR, Crosby KA, Stafford P, Grayson G, Goulet R. Effects of plate location and selection on the stability of midshaft clavicle osteotomies: a biomechanical study. 2002;11:457-62
Ide J (*see* Hirano et al). 2002;11:576-8
Imada K (*see* Yukata et al). 2002;11:95-7 (Case rep.)
Imakiire A (*see* Takase et al). 2002;11:557-61
Inui H, Sugamoto K, Miyamoto T, Yoshikawa H, Machida A, Hashimoto J, Nobuhara K. Three-dimensional relationship of the glenohumeral joint in the elevated position in shoulders with multidirectional instability. 2002;11:510-15
Ishigaki D (*see* Harada et al). 2002;11:368-72
Itamura J, Dietrick T, Roidis N, Shean C, Chen F, Tibone J. Analysis of the bicipital groove as a landmark for humeral head replacement. 2002;11:322-6
Ito Y (*see* Uchio et al). 2002;11:570-5
Itoi E (*see* Konno et al). 2002;11:72-9

J

Jazrawi LM (*see* Breslow et al). 2002;11:225-9
Jensen SL, Olsen BS, Seki A, Sjbjerg JO, Sneppen O. Radiohumeral stability to forced translation: an experimental analysis of the bony constraint. 2002;11:158-65
Jensen SL (*see* Seki et al). 2002;11:53-9
Jerosch J. The posterior subdeltoid approach: a modified access to the posterior glenohumeral joint. 2002;11:280 (Letter reply)
Johnson JA (*see* Armstrong et al). 2002;11:65-71
Johnson JA (*see* King et al). 2002;11:60-4
Jones EC (*see* Mancuso et al). 2002;11:529-40
Josefsson PO (*see* Karlsson et al). 2002;11:377-82

K

Kaarela K (*see* Lehtinen et al). 2002;11:253-8
Kanauchi Y (*see* Harada et al). 2002;11:368-72
Kapil R (*see* Hasan et al). 2002;11:431-41

Kaplan FTD, Rokito AS, Birdzell MG, Zuckerman JD. Reconstruction of chronic distal biceps tendon rupture with use of fascia lata combined with a ligament augmentation device: a report of 3 cases. 2002;11:633-6 (Case rep.)
Karlsson C (see Karlsson et al). 2002;11:377-82
Karlsson MK, Hasserius R, Besjakov J, Karlsson C, Josefsson PO. Comparison of tension-band and figure-of-eight wiring techniques for treatment of olecranon fractures. 2002;11:377-82
Kashiwa H (see Harada et al). 2002;11:368-72
Kauppi MJ (see Lehtinen et al). 2002;11:253-8
Kaye JC (see Emms et al). 2002;11:271-3 (Case rep.)
Kaye JC (see Pydisetty et al). 2002;11:630-2 (Case rep.)
Keefer CC (see Thomopoulos et al). 2002;11:239-47
Kempf J-F (see Boileau et al). 2002;11:351-9
Kibler WB, Uhl TL, Maddux JWQ, Brooks PV, Zeller B, McMullen J. Qualitative clinical evaluation of scapular dysfunction: a reliability study. 2002;11:529-40
Kido T (see Konno et al). 2002;11:72-9
King GJW, Dunning CE, Zarzour ZDS, Patterson SD, Johnson JA. Single-strand reconstruction of the lateral ulnar collateral ligament restores varus and posterolateral rotatory stability of the elbow. 2002;11:60-4
King GJW (see Armstrong et al). 2002;11:65-71
Kirschner S (see Walther et al). 2002;11:265-70
Knothe U (see Hertel et al). 2002;11:331-8
Kocher MS (see Gill et al). 2002;11:327-30
Koch PP, Gross DFL, Gerber C. The results of functional (Sarmiento) bracing of humeral shaft fractures. 2002;11:143-50
Koenig A (see Walther et al). 2002;11:265-70
Konno N, Itoi E, Kido T, Sano A, Urayama M, Sato K. Glenoid osteophyte and rotator cuff tears: an anatomic study. 2002;11:72-9
Kozuki K (see Sakamoto and Kozuki). 2002;11:88-91 (Case rep.)
Krey D (see Fink et al). 2002;11:360-7
Krishnan SG (see Boileau et al). 2002;11:351-9
Krishnan SG (see Boileau et al). 2002;11:401-12
Kuhn JE (see Malicky et al). 2002;11:529-40
Kuhn JE (see Spencer et al). 2002;11:43-7
Kulikowich JM (see Ellenbecker et al). 2002;11:470-5
Kumagai J (see Sano et al). 2002;11:166-73
Kummer FJ (see Breslow et al). 2002;11:225-9
Kummer FJ (see Checroun et al). 2002;11:614-17
Kurosaka M (see Yamamoto et al). 2002;11:92-4 (Case rep.)
Kusnierczak D (see Daecke et al). 2002;11:476-80
Kuwata S (see Uchio et al). 2002;11:570-5

L

Lajtai G (see Murray et al). 2002;11:19-24
Lapoint JM (see Fitzgerald et al). 2002;11:108-13
Leblebicioglu G (see Aydingöz et al). 2002;11:274-7 (Case rep.)
Lee WE III (see Frankle et al). 2002;11:413-20
Lehtinen JT, Kaarela K, Kauppi MJ, Belt EA, Mäenpää HM, Lehto MUK. Bone destruction patterns of the rheumatoid elbow: a radiographic assessment of 148 elbows at 15 years. 2002;11:253-8
Le Huec J-C (see Godèneche et al). 2002;11:11-18
Leith JM (see Hasan et al). 2002;11:431-41
Lephart SM (see Swanik et al). 2002;11:579-86
Lephart SP (see Swanik et al). 2002;11:579-86
Lévigne C (see Godèneche et al). 2002;11:11-18
Levine WN (see Herrera et al). 2002;11:605-8
Levy O (see Massoud et al). 2002;11:305-8
Levy O (see Massoud et al). 2002;11:481-5
Levy O (see Massoud et al). 2002;11:609-13
Levy O (see Tytherleigh-Strong et al). 2002;11:230-4
Lindholm SR (see Malicky et al). 2002;11:529-40
Livesey JP, Brownson P, Wallace A. Traumatic latissimus dorsi tendon rupture. 2002;11:642-4 (Case rep.)
Loew M (see Daecke et al). 2002;11:476-80
Loomer RL (see Spangehl et al). 2002;11:101-7

M

Machida A (see Inui et al). 2002;11:510-15
Maddux JWQ (see Kibler et al). 2002;11:529-40
Mäenpää HM (see Lehtinen et al). 2002;11:253-8
Mair SD (see Gill et al). 2002;11:327-30
Malicky DM, Kuhn JE, Frisancho JC, Lindholm SR, Raz JA, Soslowsky LJ. Nonrecoverable strain fields of the anteroinferior glenohumeral capsule under subluxation. 2002;11:529-40
Mancuso CA, Altchek DW, Craig EV, Jones EC, Robbins L, Warren RF, Williams-Russo P. Patients' expectations of shoulder surgery. 2002;11:529-40
Markee BA (see Frankle et al). 2002;11:413-20
Marui T (see Yamamoto et al). 2002;11:92-4 (Case rep.)
Marx RG, McCarty EC, Montemurno D, Altchek DW, Craig EV, Warren RF. Development of arthrosis following dislocation of the shoulder: a case-control study. 2002;11:1-5
Massoud SN, Levy O, Copeland SA. Inferior capsular shift for multidirectional instability following failed laser-assisted capsular shrinkage. 2002;11:305-8
Massoud SN, Levy O, Copeland SA. The vertical-apical suture Bankart lesion repair for anteroinferior glenohumeral instability. 2002;11:481-5
Massoud SN, Pearse EO, Levy O, Copeland SA. Operative management of frozen shoulder in patients with diabetes. 2002;11:609-13
Mastaw J (see Thomopoulos et al). 2002;11:239-47
Matsen FA III (see Woodhouse et al). 2002;11:645-7 (Case rep.)
Mattalino AJ (see Ellenbecker et al). 2002;11:470-5
Matthews LS (see Mullen et al). 2002;11:259-64
McCarty EC (see Marx et al). 2002;11:1-5
McClure PW (see Michener et al). 2002;11:587-94
McCormack RG (see Spangehl et al). 2002;11:101-7
McGurty DW (see Prakash et al). 2002;11:428-30
McIrvin E (see Gill et al). 2002;11:327-30
McKee MD (see Gilchrist and McKee). 2002;11:493-7
McMullen J (see Kibler et al). 2002;11:529-40
Mellor SJ, Patel VR. "Locking" of the shoulder: an unusual late complication of the modified Bristow procedure. 2002;11:519-20 (Case rep.)
Meunier M (see Ball et al). 2002;11:624-9

Michener LA, McClure PW, Sennett BJ. American Shoulder and Elbow Surgeons Standardized Shoulder Assessment Form, patient self-report section: reliability, validity, and responsiveness. 2002;11:587-94
Mileski RM (*see* Murray et al). 2002;11:19-24
Millett PJ (*see* Dugas et al). 2002;11:498-503
Mimori K (*see* Asano et al). 2002;11:182-7 (Case rep.)
Miyamoto T (*see* Inui et al). 2002;11:510-15
Mizuno K (*see* Yamamoto et al). 2002;11:92-4 (Case rep.)
Mohr A (*see* Greis et al). 2002;11:442-51
Molé D (*see* Boileau et al). 2002;11:351-9
Molé D (*see* Boileau et al). 2002;11:401-12
Montemurno D (*see* Marx et al). 2002;11:1-5
Morris AD (*see* Emms et al). 2002;11:271-3 (Case rep.)
Motamedi AR, Urrea LH, Hancock RE, Hawkins RJ, Ho C. Accuracy of magnetic resonance imaging in determining the presence and size of recurrent rotator cuff tears. 2002;11:6-10
Muermans S. Partial medial epicondylectomy for cubital tunnel syndrome: outcome and complications. 2002;11:248-52
Mullen DJ, Goradia VK, Parks BG, Matthews LS. A biomechanical study of stability of the elbow to valgus stress before and after reconstruction of the medial collateral ligament. 2002;11:259-64
Müller-Gerbl M (*see* Schulz et al). 2002;11:174-81
Murray TA (*see* Werner et al). 2002;11:151-5
Murray TF Jr, Lajtai G, Mileski RM, Snyder SJ. Arthroscopic repair of medium to large full-thickness rotator cuff tears: outcome at 2- to 6-year follow-up. 2002;11:19-24
Murrell GAC (*see* Bryant et al). 2002;11:219-24
Murrell GAC (*see* Hayes et al). 2002;11:33-9

N

Naert PA (*see* Dossche et al). 2002;11:86-7 (Case rep.)
Nagira K (*see* Yamamoto et al). 2002;11:92-4 (Case rep.)
Nakaima N (*see* Yukata et al). 2002;11:95-7 (Case rep.)
Neer CS II. Four-segment classification of proximal humeral fractures: purpose and reliable use. 2002;11:389-400
Neer CS II. Carter Redd Rowe, MD 1906–2001. 2002;11:198-9 (In memoriam)
Nicholson GP, Duckworth MA. Scapulothoracic bursectomy for snapping scapular syndrome. 2002;11:80-5
Nobuhara K (*see* Inui et al). 2002;11:510-15
Noerdlinger MA, Cole BJ, Stewart M, Post M. Results of pectoralis major transfer with fascia lata autograft augmentation for scapula winging. 2002;11:345-50
Norris TR, Iannotti JP. Functional outcome after shoulder arthroplasty for primary osteoarthritis: a multicenter study. 2002;11:130-5
Nové-Josserand L (*see* Godèneche et al). 2002;11:11-18
Nové-Josserand L (*see* Walch et al). 2002;11:309-14
Nuttall D (*see* Trail et al). 2002;11:373-6

O

Ochi M (*see* Uchio et al). 2002;11:570-5
O'Connor DP (*see* Brinker et al). 2002;11:463-9
Ogino T (*see* Harada et al). 2002;11:368-72
Ohno W (*see* Tamai et al). 2002;11:421-7
Olsen BS (*see* Jensen et al). 2002;11:158-65
Olsen BS (*see* Seki et al). 2002;11:53-9
Ondrovic LE (*see* Frankle et al). 2002;11:413-20
Ortiguera CJ, Buss DD. Surgical management of the symptomatic os acromiale. 2002;11:521-8

P

Pajarinen J, Björkenheim J-M. Operative treatment of type C intercondylar fractures of the distal humerus: results after a mean follow-up of 2 years in a series of 18 patients. 2002;11:48-52
Papadimitriou NG (*see* Ferraz et al). 2002;11:98-100 (Case rep.)
Parks BG (*see* Mullen et al). 2002;11:259-64
Patel VR (*see* Mellor and Patel). 2002;11:519-20 (Case rep.)
Patterson SD (*see* King et al). 2002;11:60-4
Paulos JA (*see* Toro et al). 2002;11:188-90 (Case rep.)
Pearse EO (*see* Massoud et al). 2002;11:609-13
Pfahler M (*see* Schulz et al). 2002;11:174-81
Piatt BE, Hawkins RJ, Fritz RC, Ho CP, Wolf E, Schickendantz M. Clinical evaluation and treatment of spinoglenoid notch ganglion cysts. 2002;11:600-4
Pomerance J. Radiographic analysis of lateral epicondylitis. 2002;11:156-7
Popham GJ (*see* Brinker et al). 2002;11:463-9
Postacchini F, Gumina S, De Santis P, Albo F. Epidemiology of clavicle fractures. 2002;11:452-6
Post M (*see* Noerdlinger et al). 2002;11:345-50
Potter HG (*see* Sperling et al). 2002;11:315-21
Prakash U, McGurty DW, Dent JA. Hemiarthroplasty for severe fractures of the proximal humerus. 2002;11:428-30
Prasad SS (*see* Pydisetty et al). 2002;11:630-2 (Case rep.)
Pydisetty RV, Prasad SS, Kaye JC. Osteochondritis dissecans of the humeral head in an amateur boxer. 2002;11:630-2 (Case rep.)

R

Ramsey ML (*see* Bey et al). 2002;11:562-9
Ramsey ML (*see* Cameron et al). 2002;11:25-32
Ramsey ML (*see* Iannotti et al). 2002;11:618-23
Raz JA (*see* Malicky et al). 2002;11:529-40
Refior HJ (*see* Schulz et al). 2002;11:174-81
Reynolds F (*see* Herrera et al). 2002;11:605-8
Robbins L (*see* Mancuso et al). 2002;11:529-40
Roberts CS, Davila JN, Hushek SG, Tillett ED, Corrigan TM. Intraoperative magnetic resonance imaging analysis of the subacromial space in the impingement sign positions. 2002;11:595-9
Robie BH (*see* Dugas et al). 2002;11:498-503
Rockwood CA Jr, Wirth MA. Observation on retrieved Hylamer glenoids in shoulder arthroplasty: problems associated with sterilization by gamma irradiation in air. 2002;11:191-7
Roidis N (*see* Itamura et al). 2002;11:322-6

Rokito AS (*see* Breslow et al). 2002;11:225-9
Rokito AS (*see* Kaplan et al). 2002;11:633-6 (Case rep.)
Romeo AA (*see* Hasan and Romeo). 2002;11:281-98 (Review article)
Rushton SA (*see* Fenlin et al). 2002;11:136-42
Rüther W (*see* Fink et al). 2002;11:360-7
Ryoke K (*see* Uchio et al). 2002;11:570-5

S

Sakai Y (*see* Uchio et al). 2002;11:570-5
Sakamoto K, Kozuki K. Calcific tendinitis at the biceps brachii insertion of a child: a case report. 2002;11:88-91 (Case rep.)
Sánchez-Sotelo J (*see* Antuña et al). 2002;11:114-21
Sánchez-Sotelo J (*see* Antuña et al). 2002;11:122-9
Sancy KL (*see* Toro et al). 2002;11:188-90 (Case rep.)
Sano A (*see* Konno et al). 2002;11:72-9
Sano H, Kumagai J, Sawai T. Experimental fascial autografting for the supraspinatus tendon defect: remodeling process of the grafted fascia and the insertion into bone. 2002;11:166-73
Sano H (*see* Uhthoff et al). 2002;11:504-9
Saotome K (*see* Tamai et al). 2002;11:421-7
Sato K (*see* Konno et al). 2002;11:72-9
Sawai T (*see* Sano et al). 2002;11:166-73
Scheller AD Jr (*see* Toczylowski et al). 2002;11:516-18 (Case rep.)
Schickendantz M (*see* Piatt et al). 2002;11:600-4
Schmielau G (*see* Fink et al). 2002;11:360-7
Schulz CU, Pfahler M, Anetzberger HM, Becker CR, Müller-Gerbl M, Refior HJ. The mineralization patterns at the subchondral bone plate of the glenoid cavity in healthy shoulders. 2002;11:174-81
Scuderi MG (*see* Greis et al). 2002;11:442-51
Seki A, Olsen BS, Jensen SL, Eygendaal D, Sjbjerg JO. Functional anatomy of the lateral collateral ligament complex of the elbow: configuration of Y and its role. 2002;11:53-9
Seki A (*see* Jensen et al). 2002;11:158-65
Seki M (*see* Uhthoff et al). 2002;11:504-9
Sennett BJ (*see* Michener et al). 2002;11:587-94
Sforza G (*see* Tytherleigh-Strong et al). 2002;11:230-4
Shapiro GS, Weiland AJ. Reactive bone formation after surgery for lateral epicondylitis. 2002;11:383-5 (Case rep.)
Shean C (*see* Itamura et al). 2002;11:322-6
Shinomiya K (*see* Asano et al). 2002;11:182-7 (Case rep.)
Shnier R (*see* Bryant et al). 2002;11:219-24
Smith KL (*see* Hasan et al). 2002;11:431-41
Sneppen O (*see* Jensen et al). 2002;11:158-65
Snyder SJ (*see* Murray et al). 2002;11:19-24
Søjbjerg JO (*see* Jensen et al). 2002;11:158-65
Søjbjerg JO (*see* Seki et al). 2002;11:53-9
Sonnabend DH, Watson EM. Structural factors affecting the outcome of rotator cuff repair. 2002;11:212-18
Sonnabend DH (*see* Watson and Sonnabend). 2002;11:201-11
Soslowsky LJ (*see* Bey et al). 2002;11:562-9
Soslowsky LJ (*see* Malicky et al). 2002;11:529-40
Soslowsky LJ (*see* Thomopoulos et al). 2002;11:239-47
Sotereanos DG (*see* Ferraz et al). 2002;11:98-100 (Case rep.)
Spangehl MJ, Hawkins RH, McCormack RG, Loomer RL. Arthroscopic versus open acromioplasty: a prospective, randomized, blinded study. 2002;11:101-7
Spencer EE, Kuhn JE, Huston LJ, Carpenter JE, Hughes RE. Ligamentous restraints to anterior and posterior translation of the sternoclavicular joint. 2002;11:43-7
Sperling JW, Potter HG, Craig EV, Flatow E, Warren RF. Magnetic resonance imaging of painful shoulder arthroplasty. 2002;11:315-21
Sperling JW (*see* Antuña et al). 2002;11:114-21
Sperling JW (*see* Antuña et al). 2002;11:122-9
Sperling JW (*see* Antuña et al). 2002;11:637-41 (Case rep.)
Stafford P (*see* Iannotti et al). 2002;11:457-62
Stanley JK (*see* Trail et al). 2002;11:373-6
Steiner ME (*see* Toczylowski et al). 2002;11:516-18 (Case rep.)
Steinmann SP. The posterior subdeltoid approach: a modified access to the posterior glenohumeral joint. 2002;11:280 (Letter)
Stewart M (*see* Noerdlinger et al). 2002;11:345-50
Stone DA (*see* Swanik et al). 2002;11:579-86
Sugamoto K (*see* Inui et al). 2002;11:510-15
Swanik CB (*see* Swanik et al). 2002;11:579-86
Swanik KA, Lephart SM, Swanik CB, Lephart SP, Stone DA, Fu FH. The effects of plyometric training on proprioception and selected muscle performance characteristics. 2002;11:579-86
Szomor ZL (*see* Hayes et al). 2002;11:33-9

T

Takagi K (*see* Hirano et al). 2002;11:576-8
Takahara M (*see* Harada et al). 2002;11:368-72
Takase K, Imakiire A, Burkhead WZ Jr. Radiographic study of the anatomic relationships of the greater tuberosity. 2002;11:557-61
Tamai K, Hamada J, Ohno W, Saotome K. Surgical anatomy of multipart fractures of the proximal humerus. 2002;11:421-7
Tamano K (*see* Yukata et al). 2002;11:95-7 (Case rep.)
Tanaka K (*see* Yamamoto et al). 2002;11:92-4 (Case rep.)
Thomopoulos S, Soslowsky LJ, Flanagan CL, Tun S, Keefer CC, Mastaw J, Carpenter JE. The effect of fibrin clot on healing rat supraspinatus tendon defects. 2002;11:239-47
Tibone J (*see* Itamura et al). 2002;11:322-6
Tillett ED (*see* Roberts et al). 2002;11:595-9
Tillmann K (*see* Fink et al). 2002;11:360-7
Tinsi L (*see* Boileau et al). 2002;11:401-12
Toczylowski HM, Balint CR, Steiner ME, Boardman M, Scheller AD Jr. Complete rupture of the distal biceps brachii tendon in female patients: a report of 2 cases. 2002;11:516-18 (Case rep.)
Toro FG, Paulos JA, Fuentes DL, Sancy KL. Total shoulder arthroplasty in pigmented villonodular synovitis: a case report. 2002;11:188-90 (Case rep.)
Trail IA, Nuttall D, Stanley JK. Comparison of survivor-

ship between standard and long-stem Souter-Strathclyde total elbow arthroplasty. 2002;11:373-6
Trudel G (*see* Uhthoff et al). 2002;11:504-9
Tun S (*see* Thomopoulos et al). 2002;11:239-47
Tytherleigh-Strong GM, Levy O, Sforza G, Copeland SA. The role of arthroscopy for the problem shoulder arthroplasty. 2002;11:230-4

U

Uchio Y, Ochi M, Ryoke K, Sakai Y, Ito Y, Kuwata S. Expression of neuropeptides and cytokines at the extensor carpi radialis brevis muscle origin. 2002;11:570-5
Uhl TL (*see* Kibler et al). 2002;11:529-40
Uhthoff HK. Open surgical release for frozen shoulder: surgical findings and results of the release. 2002;11:200 (Letter)
Uhthoff HK, Seki M, Backman DS, Trudel G, Himori K, Sano H. Tensile strength of the supraspinatus after reimplantation into a bony trough: an experimental study in rabbits. 2002;11:504-9
Urayama M (*see* Konno et al). 2002;11:72-9
Urrea LH (*see* Motamedi et al). 2002;11:6-10

V

Van Bouwel S (*see* Dossche et al). 2002;11:86-7 (Case rep.)

W

Walch G, Ascani C, Boulahia A, Nové-Josserand L, Edwards TB. Static posterior subluxation of the humeral head: an unrecognized entity responsible for glenohumeral osteoarthritis in the young adult. 2002;11:309-14
Walch G (*see* Boileau et al). 2002;11:351-9
Walch G (*see* Boileau et al). 2002;11:401-12
Walch G (*see* Godèneche et al). 2002;11:11-18
Wallace A (*see* Livesey et al). 2002;11:642-4 (Case rep.)
Walther M, Kirschner S, Koenig A, Barthel T, Gohlke F. Biomechanical evaluation of braces used for the treatment of epicondylitis. 2002;11:265-70
Walton JR (*see* Hayes et al). 2002;11:33-9
Warren RF (*see* Dugas et al). 2002;11:498-503
Warren RF (*see* Guyette et al). 2002;11:299-304
Warren RF (*see* Mancuso et al). 2002;11:529-40
Warren RF (*see* Marx et al). 2002;11:1-5
Warren RF (*see* Sperling et al). 2002;11:315-21
Watson BT (*see* Fitzgerald et al). 2002;11:108-13
Watson EM, Sonnabend DH. Outcome of rotator cuff repair. 2002;11:201-11
Watson EM (*see* Sonnabend and Watson). 2002;11:212-18
Watson JS (*see* Helm and Watson). 2002;11:278-9 (Case rep.)
Weiland AJ (*see* Shapiro and Weiland). 2002;11:383-5 (Case rep.)
Werner SL, Murray TA, Hawkins RJ, Gill TJ. Relationship between throwing mechanics and elbow valgus in profession baseball pitchers. 2002;11:151-5
Wickiewicz TL (*see* Guyette et al). 2002;11:299-304
Wilk RM (*see* Herrera et al). 2002;11:605-8
Williams GR (*see* Cameron et al). 2002;11:25-32
Williams GR (*see* Iannotti et al). 2002;11:618-23
Williams-Russo P (*see* Mancuso et al). 2002;11:529-40
Wirth MA (*see* Rockwood and Wirth). 2002;11:191-7
Wolf E (*see* Piatt et al). 2002;11:600-4
Wolff MW (*see* Ellenbecker et al). 2002;11:470-5
Woodhouse ES, Fehringer EV, Benda PM, Matsen FA III. Metastatic carcinoma to the acromion in a patient after total shoulder arthroplasty: a case report and review of the literature. 2002;11:645-7 (Case rep.)

Y

Yamaguchi K (*see* Ball et al). 2002;11:624-9
Yamamoto T, Tanaka K, Nagira K, Marui T, Akisue T, Kurosaka M, Mizuno K. Intermittent radial nerve palsy caused by a humeral osteochondroma: a case report. 2002;11:92-4 (Case rep.)
Yoshikawa H (*see* Inui et al). 2002;11:510-15
Yoshizumi Y (*see* Yukata et al). 2002;11:95-7 (Case rep.)
Yukata K, Imada K, Yoshizumi Y, Tamano K, Hosokawa S, Nakaima N. Intra-articular ganglion cyst (paralabral cyst) of the shoulder associated with recurrent anterior dislocation. 2002;11:95-7 (Case rep.)

Z

Zarzour ZDS (*see* King et al). 2002;11:60-4
Zeller B (*see* Kibler et al). 2002;11:529-40
Zuckerman JD (*see* Checroun et al). 2002;11:614-17
Zuckerman JD (*see* Kaplan et al). 2002;11:633-6 (Case rep.)

Subject/Title Index, Volume 11*

A

Acromioclavicular joint
Treatment of acromioclavicular joint: suture or suture anchors? (Breslow et al). 2002;11:225-9

Acromion
Acromial shapes and extension of rotator cuff tears: magnetic resonance imaging evaluation (Hirano et al). 2002;11:576-8
A case of post-traumatic osteolysis of the distal clavicle: histologic lesion of the acromion (Asano et al). 2002;11:182-7 (Case rep.)
Metastatic carcinoma to the acromion in a patient after total shoulder arthroplasty: a case report and review of the literature (Woodhouse et al). 2002;11:645-7 (Case rep.)
The relative importance of acromial morphology and age with respect to rotator cuff pathology (Gill et al). 2002;11:327-30
Surgical management of the symptomatic os acromiale (Ortiguera and Buss). 2002;11:521-8 (Review article)

Acromioplasty
Arthroscopic versus open acromioplasty: a prospective, randomized, blinded study (Spangehl et al). 2002;11:101-7

American Shoulder and Elbow Surgeons Standardized Shoulder Assessment Form
American Shoulder and Elbow Surgeons Standardized Shoulder Assessment Form, patient self-report section: reliability, validity, and responsiveness (Michener et al). 2002;11:587-94

Arthritis, rheumatoid
Bone destruction patterns of the rheumatoid elbow: a radiographic assessment of 148 elbows at 15 years (Lehtinen et al). 2002;11:253-8
A medium-term follow-up study of 44 Souter-Strathclyde elbow arthroplasties carried out for rheumatoid arthritis (Dainton and Hutchins). 2002; 11:486-92
Results of elbow endoprotheses in patients with rheumatoid arthritis in correlation with previous operations (Fink et al). 2002;11:360-7

Arthroplasty
Magnetic resonance imaging of painful shoulder arthroplasty (Sperling et al). 2002;11:315-21
The role of arthroscopy for the problem shoulder arthroplasty (Tytherleigh-Strong et al). 2002; 11:230-4

Arthroplasty, replacement
Analysis of the bicipital groove as a landmark for humeral head replacement (Itamura et al). 2002;11:322-6
Cemented polyethylene versus uncemented metal-backed glenoid components in total shoulder arthroplasty: a prospective, double-blind, randomized study (Boileau et al). 2002;11:351-9
Characteristics of unsatisfactory shoulder arthroplasties (Hasan et al). 2002;11:431-41
Comparison of survivorship between standard and long-stem Souter-Strathclyde total elbow arthroplasty (Trail et al). 2002;11:373-6
Functional outcome after shoulder arthroplasty for primary osteoarthritis: a multicenter study (Norris and Iannotti). 2002;11:130-5
A medium-term follow-up study of 44 Souter-Strathclyde elbow arthroplasties carried out for rheumatoid arthritis (Dainton and Hutchins). 2002; 11:486-92
Metastatic carcinoma to the acromion in a patient after total shoulder arthroplasty: a case report and review of the literature (Woodhouse et al). 2002;11:645-7 (Case rep.)
Observation on retrieved Hylamer glenoids in shoulder arthroplasty: problems associated with sterilization by gamma irradiation in air (Rockwood and Wirth). 2002;11:191-7 (Review article)
Radiographic study of the anatomic relationships of the greater tuberosity (Takase et al). 2002;11: 557-61
Reimplantation of a glenoid component after component removal and allograft bone grafting: a report of 3 cases (Antuña et al). 2002;11: 637-41 (Case rep.)
Shoulder arthroplasty for proximal humeral malunions: long-term results (Antuña et al). 2002; 11:122-9
Shoulder arthroplasty for proximal humeral nonunions (Antuña et al). 2002;11:114-21
Total shoulder arthroplasty in pigmented villonodular synovitis: a case report (Toro et al). 2002; 11:188-90 (Case rep.)

Arthroscopy
An alternative portal for scapulothoracic arthroscopy (Chan et al). 2002;11:235-8
Arthroscopic repair of medium to large full-thickness rotator cuff tears: outcome at 2- to 6-year follow-up (Murray et al). 2002;11:19-24
Arthroscopic treatment of post-traumatic elbow contracture (Ball et al). 2002;11:624-9
Arthroscopic versus open acromioplasty: a prospective, randomized, blinded study (Spangehl et al). 2002;11:101-7
A comparison of clinical estimation, ultrasonography, magnetic resonance imaging, and arthroscopy in determining the size of rotator cuff tears (Bryant et al). 2002;11:219-24
Infection after mini-open rotator cuff repair (Herrera et al). 2002;11:605-8

* January/February, pp. 1-100; March/April, pp. 101-200; May/June, pp. 201-298; July/August, pp. 400; September/October, pp. 401-528; November/December, pp. 529-666.

Results of arthroscopic subacromial decompression in patients with subacromial impingement and glenohumeral degenerative joint disease (Guyette et al). 2002;11:299-304
The role of arthroscopy for the problem shoulder arthroplasty (Tytherleigh-Strong et al). 2002; 11:230-4

B

Bankart lesion
The vertical-apical suture Bankart lesion repair for anteroinferior glenohumeral instability (Massoud et al). 2002;11:481-5
Baseball
Relationship between throwing mechanics and elbow valgus in profession baseball pitchers (Werner et al). 2002;11:151-5
Biceps brachii
Complete rupture of the distal biceps brachii tendon in female patients: a report of 2 cases (Toczylowski et al). 2002;11:516-18 (Case rep.)
Biceps tendon
Reconstruction of chronic distal biceps tendon rupture with use of fascia lata combined with a ligament augmentation device: a report of 3 cases (Kaplan et al). 2002;11:633-6 (Case rep.)
Bone transplantation
Fragment fixation with a bone graft and dynamic staples for osteochondritis dissecans of the humeral capitellum (Harada et al). 2002;11:368-72
Boxing
Osteochondritis dissecans of the humeral head in an amateur boxer (Pydisetty et al). 2002;11:630-2 (Case rep.)
Braces
Biomechanical evaluation of braces used for the treatment of epicondylitis (Walther et al). 2002;11:265-70
The results of functional (Sarmiento) bracing of humeral shaft fractures (Koch et al). 2002;11: 143-50
Brachial plexus
Compression of the brachial plexus in a patient with false aneurysm of the axillary artery as a result of anterior shoulder dislocation (Helm and Watson). 2002;11:278-9 (Case rep.)
Bristow procedure
"Locking" of the shoulder: an unusual late complication of the modified Bristow procedure (Mellor and Patel). 2002;11:519-20 (Case rep.)
Bursectomy
Scapulothoracic bursectomy for snapping scapular syndrome (Nicholson and Duckworth). 2002; 11:80-5

C

Capsulorrhaphy, thermal
The use of thermal capsulorrhaphy in the treatment of multidirectional instability (Fitzgerald et al). 2002;11:108-13
Carcinoma
Metastatic carcinoma to the acromion in a patient after total shoulder arthroplasty: a case report and review of the literature (Woodhouse et al). 2002;11:645-7 (Case rep.)
Case reports
Calcific tendinitis at the biceps brachii insertion of a child: a case report (Sakamoto and Kozuki). 2002;11:88-91
A case of post-traumatic osteolysis of the distal clavicle: histologic lesion of the acromion (Asano et al). 2002;11:182-7
Complete rupture of the distal biceps brachii tendon in female patients: a report of 2 cases (Toczylowski et al). 2002;11:516-18
Compression of the brachial plexus in a patient with false aneurysm of the axillary artery as a result of anterior shoulder dislocation (Helm and Watson). 2002;11:278-9
A high radial neuropathy by parosteal lipoma compression (Henrique). 2002;11:386-8
Intermittent radial nerve palsy caused by a humeral osteochondroma: a case report (Yamamoto et al). 2002;11:92-4
Intra-articular ganglion cyst (paralabral cyst) of the shoulder associated with recurrent anterior dislocation (Yukata et al). 2002;11:95-7
"Locking" of the shoulder: an unusual late complication of the modified Bristow procedure (Mellor and Patel). 2002;11:519-20
Metastatic carcinoma to the acromion in a patient after total shoulder arthroplasty: a case report and review of the literature (Woodhouse et al). 2002;11:645-7
Osteochondritis dissecans of the humeral head in an amateur boxer (Pydisetty et al). 2002;11:630-2
Persistent aseptic fistula after rotator cuff repair: fistuloscopic approach (Dossche et al). 2002; 11:86-7
Pigmented villonodular synovitis of the elbow in a 6-year old girl (Aydingöz et al). 2002;11:274-7
Reactive bone formation after surgery for lateral epicondylitis (Shapiro and Weiland). 2002; 11:383-5
Reconstruction of chronic distal biceps tendon rupture with use of fascia lata combined with a ligament augmentation device: a report of 3 cases (Kaplan et al). 2002;11:633-6
Reimplantation of a glenoid component after component removal and allograft bone grafting: a report of 3 cases (Antuña et al). 2002;11: 637-41
Scapular body nonunion: a case report (Ferraz et al). 2002;11:98-100
Subclavian vein obstruction caused by an unreduced type II Salter Harris injury of the medial clavicular physis (Emms et al). 2002;11:271-3
Total shoulder arthroplasty in pigmented villonodular synovitis: a case report (Toro et al). 2002; 11:188-90

Traumatic latissimus dorsi tendon rupture (Livesey et al). 2002;11:642-4

Child
Calcific tendinitis at the biceps brachii insertion of a child: a case report (Sakamoto and Kozuki). 2002;11:88-91 (Case rep.)

Clavicle
A case of post-traumatic osteolysis of the distal clavicle: histologic lesion of the acromion (Asano et al). 2002;11:182-7 (Case rep.)
Effects of plate location and selection on the stability of midshaft clavicle osteotomies: a biomechanical study (Iannotti et al). 2002;11:457-62
Epidemiology of clavicle fractures (Postacchini et al). 2002;11:452-6

Collateral ligaments
A biomechanical study of stability of the elbow to valgus stress before and after reconstruction of the medial collateral ligament (Mullen et al). 2002;11:259-64

Correspondence; see Letters to the editor

Crepitus
Scapulothoracic bursectomy for snapping scapular syndrome (Nicholson and Duckworth). 2002; 11:80-5

Cubital tunnel syndrome
Partial medial epicondylectomy for cubital tunnel syndrome: outcome and complications (Muermans and De Smet). 2002;11:248-52

Cytokines
Expression of neuropeptides and cytokines at the extensor carpi radialis brevis muscle origin (Uchio et al). 2002;11:570-5

D

Deltoid muscle
The posterior subdeltoid approach: a modified access to the posterior glenohumeral joint (Steinmann) (Letter); (Jerosch) (Reply). 2002;11:280

Diabetes mellitus
Operative management of frozen shoulder in patients with diabetes (Massoud et al). 2002;11: 609-13

Dislocations
Treatment of acromioclavicular joint: suture or suture anchors? (Breslow et al). 2002;11:225-9

E

Elbow
Arthroscopic treatment of post-traumatic elbow contracture (Ball et al). 2002;11:624-9
A biomechanical study of stability of the elbow to valgus stress before and after reconstruction of the medial collateral ligament (Mullen et al). 2002;11:259-64
Bone destruction patterns of the rheumatoid elbow: a radiographic assessment of 148 elbows at 15 years (Lehtinen et al). 2002;11:253-8
Calcific tendinitis at the biceps brachii insertion of a child: a case report (Sakamoto and Kozuki). 2002;11:88-91 (Case rep.)
Comparison of survivorship between standard and long-stem Souter-Strathclyde total elbow arthroplasty (Trail et al). 2002;11:373-6
Comparison of tension-band and figure-of-eight wiring techniques for treatment of olecranon fractures (Karlsson et al). 2002;11:377-82
Functional anatomy of the lateral collateral ligament complex of the elbow: configuration of Y and its role (Seki et al). 2002;11:53-9
A medium-term follow-up study of 44 Souter-Strathclyde elbow arthroplasties carried out for rheumatoid arthritis (Dainton and Hutchins). 2002; 11:486-92
Partial medial epicondylectomy for cubital tunnel syndrome: outcome and complications (Muermans and De Smet). 2002;11:248-52
Pigmented villonodular synovitis of the elbow in a 6-year old girl (Aydingöz et al). 2002;11:274-7 (Case rep.)
Relationship between throwing mechanics and elbow valgus in profession baseball pitchers (Werner et al). 2002;11:151-5
Results of elbow endoprotheses in patients with rheumatoid arthritis in correlation with previous operations (Fink et al). 2002;11:360-7
Single-strand reconstruction of the lateral ulnar collateral ligament restores varus and posterolateral rotatory stability of the elbow (King et al). 2002;11:60-4
Single-strand reconstruction of the medial collateral ligament restores valgus elbow stability (Armstrong et al). 2002;11:65-71
Valgus instability of the elbow due to medial epicondyle nonunion: treatment by fragment excision and ligament repair—a report of 5 cases (Gilchrist and McKee). 2002;11:493-7

Epicondyle
Valgus instability of the elbow due to medial epicondyle nonunion: treatment by fragment excision and ligament repair—a report of 5 cases (Gilchrist and McKee). 2002;11:493-7

Epicondylectomy
Partial medial epicondylectomy for cubital tunnel syndrome: outcome and complications (Muermans and De Smet). 2002;11:248-52

Epicondylitis, lateral humeral; see Tennis elbow

Epilepsy
Shoulder instability related to epileptic seizures (Bühler and Gerber). 2002;11:339-44

F

Fibrin
The effect of fibrin clot on healing rat supraspinatus tendon defects (Thomopoulos et al). 2002;11: 239-47

Fistuloscopy
Persistent aseptic fistula after rotator cuff repair: fistuloscopic approach (Dossche et al). 2002; 11:86-7 (Case rep.)

Fracture fixation, internal
Comparison of tension-band and figure-of-eight wiring techniques for treatment of olecranon fractures (Karlsson et al). 2002;11:377-82

Effects of plate location and selection on the stability of midshaft clavicle osteotomies: a biomechanical study (Iannotti et al). 2002;11:457-62
Operative treatment of type C intercondylar fractures of the distal humerus: results after a mean follow-up of 2 years in a series of 18 patients (Pajarinen and Björkenheim). 2002;11:48-52
Scapular body nonunion: a case report (Ferraz et al). 2002;11:98-100 (Case rep.)

Fractures, malunited
Shoulder arthroplasty for proximal humeral malunions: long-term results (Antuña et al). 2002;11:122-9
Shoulder arthroplasty for proximal humeral nonunions (Antuña et al). 2002;11:114-21

Frozen shoulder
Open surgical release for frozen shoulder: surgical findings and results of the release (Uhthoff) (Letter); (Bunker) (Reply). 2002;11:200
Operative management of frozen shoulder in patients with diabetes (Massoud et al). 2002;11:609-13

G

Ganglia
Clinical evaluation and treatment of spinoglenoid notch ganglion cysts (Piatt et al). 2002;11:600-4
Intra-articular ganglion cyst (paralabral cyst) of the shoulder associated with recurrent anterior dislocation (Yukata et al). 2002;11:95-7 (Case rep.)

Glenohumeral joint
Glenohumeral articular contact areas and pressures following labral and osseous injury to the anteroinferior quadrant of the glenoid (Greis et al). 2002;11:442-51
Glenoid osteophyte and rotator cuff tears: an anatomic study (Konno et al). 2002;11:72-9
Iliotibial band reconstruction for treatment of glenohumeral instability associated with irreparable capsular deficiency (Iannotti et al). 2002;11:618-23
Intrarater and interrater reliability of a manual technique to assess anterior humeral head translation of the glenohumeral joint (Ellenbecker et al). 2002;11:470-5
"Locking" of the shoulder: an unusual late complication of the modified Bristow procedure (Mellor and Patel). 2002;11:519-20 (Case rep.)
The mineralization patterns at the subchondral bone plate of the glenoid cavity in healthy shoulders (Schulz et al). 2002;11:174-81
Non-prosthetic management of grade IV osteochondral lesions of the glenohumeral joint (Cameron et al). 2002;11:25-32
Nonrecoverable strain fields of the anteroinferior glenohumeral capsule under subluxation (Malicky et al). 2002;11:529-40
The posterior subdeltoid approach: a modified access to the posterior glenohumeral joint (Steinmann) (Letter); (Jerosch) (Reply). 2002;11:280
Radiographic study of the anatomic relationships of the greater tuberosity (Takase et al). 2002;11:557-61
Results of arthroscopic subacromial decompression in patients with subacromial impingement and glenohumeral degenerative joint disease (Guyette et al). 2002;11:299-304
Static posterior subluxation of the humeral head: an unrecognized entity responsible for glenohumeral osteoarthritis in the young adult (Walch et al). 2002;11:309-14
Three-dimensional relationship of the glenohumeral joint in the elevated position in shoulders with multidirectional instability (Inui et al). 2002;11:510-15
The vertical-apical suture Bankart lesion repair for anteroinferior glenohumeral instability (Massoud et al). 2002;11:481-5

Glenoid
Cemented polyethylene versus uncemented metal-backed glenoid components in total shoulder arthroplasty: a prospective, double-blind, randomized study (Boileau et al). 2002;11:351-9
Fit of current glenoid component designs: an anatomic cadaver study (Checroun et al). 2002;11:614-17
Glenohumeral articular contact areas and pressures following labral and osseous injury to the anteroinferior quadrant of the glenoid (Greis et al). 2002;11:442-51
Glenoid osteophyte and rotator cuff tears: an anatomic study (Konno et al). 2002;11:72-9
The mineralization patterns at the subchondral bone plate of the glenoid cavity in healthy shoulders (Schulz et al). 2002;11:174-81
Observation on retrieved Hylamer glenoids in shoulder arthroplasty: problems associated with sterilization by gamma irradiation in air (Rockwood and Wirth). 2002;11:191-7 (Review article)
Reimplantation of a glenoid component after component removal and allograft bone grafting: a report of 3 cases (Antuña et al). 2002;11:637-41 (Case rep.)

H

Hemiarthroplasty
Hemiarthroplasty for severe fractures of the proximal humerus (Prakash et al). 2002;11:428-30
Stability of tuberosity reattachment in proximal humeral hemiarthroplasty (Frankle et al). 2002;11:413-20
Tuberosity malposition and migration: reasons for poor outcomes after hemiarthroplasty for displaced fractures of the proximal humerus (Boileau et al). 2002;11:401-12

High-energy shock waves
Long-term effects of extracorporeal shockwave therapy in chronic calcific tendinitis of the shoulder (Daecke et al). 2002;11:476-80

Humeral fractures
Four-segment classification of proximal humeral fractures: purpose and reliable use (Neer). 2002;11:389-400 (Review article)
Hemiarthroplasty for severe fractures of the proximal humerus (Prakash et al). 2002;11:428-30
Operative treatment of type C intercondylar fractures of the distal humerus: results after a mean follow-up of 2 years in a series of 18 patients (Pajarinen and Björkenheim). 2002;11:48-52
The results of functional (Sarmiento) bracing of humeral shaft fractures (Koch et al). 2002;11:143-50
Shoulder arthroplasty for proximal humeral malunions: long-term results (Antuña et al). 2002;11:122-9
Shoulder arthroplasty for proximal humeral nonunions (Antuña et al). 2002;11:114-21
Stability of tuberosity reattachment in proximal humeral hemiarthroplasty (Frankle et al). 2002;11:413-20
Surgical anatomy of multipart fractures of the proximal humerus (Tamai et al). 2002;11:421-7
Tuberosity malposition and migration: reasons for poor outcomes after hemiarthroplasty for displaced fractures of the proximal humerus (Boileau et al). 2002;11:401-12

Humerus
Analysis of the bicipital groove as a landmark for humeral head replacement (Itamura et al). 2002;11:322-6
Fragment fixation with a bone graft and dynamic staples for osteochondritis dissecans of the humeral capitellum (Harada et al). 2002;11:368-72
Geometry of the proximal humerus and implications for prosthetic design (Hertel et al). 2002;11:331-8
Intermittent radial nerve palsy caused by a humeral osteochondroma: a case report (Yamamoto et al). 2002;11:92-4 (Case rep.)
Intrarater and interrater reliability of a manual technique to assess anterior humeral head translation of the glenohumeral joint (Ellenbecker et al). 2002;11:470-5
Nontraumatic osteonecrosis of the humeral head (Hasan and Romeo). 2002;11:281-98 (Review article)
Static posterior subluxation of the humeral head: an unrecognized entity responsible for glenohumeral osteoarthritis in the young adult (Walch et al). 2002;11:309-14

I

Iliotibial band
Iliotibial band reconstruction for treatment of glenohumeral instability associated with irreparable capsular deficiency (Iannotti et al). 2002;11:618-23

Inferior capsular shift
Inferior capsular shift for multidirectional instability following failed laser-assisted capsular shrinkage (Massoud et al). 2002;11:305-8

In Memoriam
Carter Redd Rowe, MD 1906–2001 (Neer). 2002;11:198-9

J

Joint diseases
Development of arthrosis following dislocation of the shoulder: a case-control study (Marx et al). 2002;11:1-5

Joint instability
A biomechanical study of stability of the elbow to valgus stress before and after reconstruction of the medial collateral ligament (Mullen et al). 2002;11:259-64
Iliotibial band reconstruction for treatment of glenohumeral instability associated with irreparable capsular deficiency (Iannotti et al). 2002;11:618-23
Inferior capsular shift for multidirectional instability following failed laser-assisted capsular shrinkage (Massoud et al). 2002;11:305-8
Radiohumeral stability to forced translation: an experimental analysis of the bony constraint (Jensen et al). 2002;11:158-65
Shoulder instability related to epileptic seizures (Bühler and Gerber). 2002;11:339-44
Single-strand reconstruction of the lateral ulnar collateral ligament restores varus and posterolateral rotatory stability of the elbow (King et al). 2002;11:60-4
Single-strand reconstruction of the medial collateral ligament restores valgus elbow stability (Armstrong et al). 2002;11:65-71
Three-dimensional relationship of the glenohumeral joint in the elevated position in shoulders with multidirectional instability (Inui et al). 2002;11:510-15
The use of thermal capsulorrhaphy in the treatment of multidirectional instability (Fitzgerald et al). 2002;11:108-13
Valgus instability of the elbow due to medial epicondyle nonunion: treatment by fragment excision and ligament repair—a report of 5 cases (Gilchrist and McKee). 2002;11:493-7
The vertical-apical suture Bankart lesion repair for anteroinferior glenohumeral instability (Massoud et al). 2002;11:481-5

Joint prosthesis
Fit of current glenoid component designs: an anatomic cadaver study (Checroun et al). 2002;11:614-17
Geometry of the proximal humerus and implications for prosthetic design (Hertel et al). 2002;11:331-8
Non-prosthetic management of grade IV osteochondral lesions of the glenohumeral joint (Cameron et al). 2002;11:25-32
Prosthetic replacement in the treatment of osteoarthritis of the shoulder: early results of 268 cases (Godèneche et al). 2002;11:11-18
Results of elbow endoprostheses in patients with

rheumatoid arthritis in correlation with previous operations (Fink et al). 2002;11:360-7

L

Lateral collateral ligament complex
Functional anatomy of the lateral collateral ligament complex of the elbow: configuration of Y and its role (Seki et al). 2002;11:53-9

Latissimus dorsi tendon
Traumatic latissimus dorsi tendon rupture (Livesey et al). 2002;11:642-4 (Case rep.)

Letters to the editor
Open surgical release for frozen shoulder: surgical findings and results of the release (Uhthoff) (Letter); (Bunker) (Reply). 2002;11:200
The posterior subdeltoid approach: a modified access to the posterior glenohumeral joint (Steinmann) (Letter); (Jerosch) (Reply). 2002;11:280

Ligaments
Functional anatomy of the lateral collateral ligament complex of the elbow: configuration of Y and its role (Seki et al). 2002;11:53-9
Single-strand reconstruction of the lateral ulnar collateral ligament restores varus and posterolateral rotatory stability of the elbow (King et al). 2002;11:60-4
Single-strand reconstruction of the medial collateral ligament restores valgus elbow stability (Armstrong et al). 2002;11:65-71

Lipoma
A high radial neuropathy by parosteal lipoma compression (Henrique). 2002;11:386-8 (Case rep.)

M

Magnetic resonance imaging
Accuracy of magnetic resonance imaging in determining the presence and size of recurrent rotator cuff tears (Motamedi et al). 2002;11:6-10
Acromial shapes and extension of rotator cuff tears: magnetic resonance imaging evaluation (Hirano et al). 2002;11:576-8
A comparison of clinical estimation, ultrasonography, magnetic resonance imaging, and arthroscopy in determining the size of rotator cuff tears (Bryant et al). 2002;11:219-24
Intraoperative magnetic resonance imaging analysis of the subacromial space in the impingement sign positions (Roberts et al). 2002;11:595-9
Magnetic resonance imaging of painful shoulder arthroplasty (Sperling et al). 2002;11:315-21

N

Nerve palsy
Intermittent radial nerve palsy caused by a humeral osteochondroma: a case report (Yamamoto et al). 2002;11:92-4 (Case rep.)

Neuropeptides
Expression of neuropeptides and cytokines at the extensor carpi radialis brevis muscle origin (Uchio et al). 2002;11:570-5

O

Observer variation
Interobserver and intraobserver reliability of the measurement of shoulder internal rotation by vertebral level (Edwards et al). 2002;11:40-7
Intrarater and interrater reliability of a manual technique to assess anterior humeral head translation of the glenohumeral joint (Ellenbecker et al). 2002;11:470-5
Qualitative clinical evaluation of scapular dysfunction: a reliability study (Kibler et al). 2002;11:550-6

Os acromiale
Surgical management of the symptomatic os acromiale (Ortiguera and Buss). 2002;11:521-8 (Review article)

Osteoarthritis
Development of arthrosis following dislocation of the shoulder: a case-control study (Marx et al). 2002;11:1-5
Functional outcome after shoulder arthroplasty for primary osteoarthritis: a multicenter study (Norris and Iannotti). 2002;11:130-5
Non-prosthetic management of grade IV osteochondral lesions of the glenohumeral joint (Cameron et al). 2002;11:25-32
Prosthetic replacement in the treatment of osteoarthritis of the shoulder: early results of 268 cases (Godèneche et al). 2002;11:11-18
Static posterior subluxation of the humeral head: an unrecognized entity responsible for glenohumeral osteoarthritis in the young adult (Walch et al). 2002;11:309-14

Osteochondritis dissecans
Fragment fixation with a bone graft and dynamic staples for osteochondritis dissecans of the humeral capitellum (Harada et al). 2002;11:368-72
Osteochondritis dissecans of the humeral head in an amateur boxer (Pydisetty et al). 2002;11:630-2 (Case rep.)

Osteochondroma
Intermittent radial nerve palsy caused by a humeral osteochondroma: a case report (Yamamoto et al). 2002;11:92-4 (Case rep.)

Osteolysis
A case of post-traumatic osteolysis of the distal clavicle: histologic lesion of the acromion (Asano et al). 2002;11:182-7 (Case rep.)

Osteonecrosis
Nontraumatic osteonecrosis of the humeral head (Hasan and Romeo). 2002;11:281-98 (Review article)

Osteophyte
Glenoid osteophyte and rotator cuff tears: an anatomic study (Konno et al). 2002;11:72-9

Osteotomy
Effects of plate location and selection on the stability of midshaft clavicle osteotomies: a biomechanical study (Iannotti et al). 2002;11:457-62

Outcome assessment, health care
Outcome of rotator cuff repair (Watson and Sonnabend). 2002;11:201-11

Patients' expectations of shoulder surgery (Mancuso et al). 2002;11:541-9

P

Patient satisfaction
Characteristics of unsatisfactory shoulder arthroplasties (Hasan et al). 2002;11:431-41
Outcome of rotator cuff repair (Watson and Sonnabend). 2002;11:201-11
Patients' expectations of shoulder surgery (Mancuso et al). 2002;11:541-9

Plyometric training
The effects of plyometric training on proprioception and selected muscle performance characteristics (Swanik et al). 2002;11:579-86

Postoperative complications
Infection after mini-open rotator cuff repair (Herrera et al). 2002;11:605-8

Proprioception
The effects of plyometric training on proprioception and selected muscle performance characteristics (Swanik et al). 2002;11:579-86

R

Rabbits
Experimental fascial autografting for the supraspinatus tendon defect: remodeling process of the grafted fascia and the insertion into bone (Sano et al). 2002;11:166-73
Tensile strength of the supraspinatus after reimplantation into a bony trough: an experimental study in rabbits (Uhthoff et al). 2002;11:504-9

Radial neuropathy
A high radial neuropathy by parosteal lipoma compression (Henrique). 2002;11:386-8 (Case rep.)

Radiography
Radiographic analysis of lateral epicondylitis (Pomerance). 2002;11:156-7

Radiohumeral joint
Radiohumeral stability to forced translation: an experimental analysis of the bony constraint (Jensen et al). 2002;11:158-65

Range of motion, articular
Interobserver and intraobserver reliability of the measurement of shoulder internal rotation by vertebral level (Edwards et al). 2002;11:40-7

Rats
The effect of fibrin clot on healing rat supraspinatus tendon defects (Thomopoulos et al). 2002;11:239-47

Review articles
Four-segment classification of proximal humeral fractures: purpose and reliable use (Neer). 2002;11:389-400
Nontraumatic osteonecrosis of the humeral head (Hasan and Romeo). 2002;11:281-98
Observation on retrieved Hylamer glenoids in shoulder arthroplasty: problems associated with sterilization by gamma irradiation in air (Rockwood and Wirth). 2002;11:191-7
Surgical management of the symptomatic os acromiale (Ortiguera and Buss). 2002;11:521-8

Rotator cuff
Accuracy of magnetic resonance imaging in determining the presence and size of recurrent rotator cuff tears (Motamedi et al). 2002;11:6-10
Acromial shapes and extension of rotator cuff tears: magnetic resonance imaging evaluation (Hirano et al). 2002;11:576-8
Anatomy and dimensions of rotator cuff insertions (Dugas et al). 2002;11:498-503
Arthroscopic repair of medium to large full-thickness rotator cuff tears: outcome at 2- to 6-year follow-up (Murray et al). 2002;11:19-24
A comparison of clinical estimation, ultrasonography, magnetic resonance imaging, and arthroscopy in determining the size of rotator cuff tears (Bryant et al). 2002;11:219-24
Experimental fascial autografting for the supraspinatus tendon defect: remodeling process of the grafted fascia and the insertion into bone (Sano et al). 2002;11:166-73
Glenoid osteophyte and rotator cuff tears: an anatomic study (Konno et al). 2002;11:72-9
Infection after mini-open rotator cuff repair (Herrera et al). 2002;11:605-8
Intratendinous strain fields of the supraspinatus tendon: effect of a surgically created articular-surface rotator cuff tear (Bey et al). 2002;11:562-9
Outcome of rotator cuff repair (Watson and Sonnabend). 2002;11:201-11
Persistent aseptic fistula after rotator cuff repair: fistuloscopic approach (Dossche et al). 2002;11:86-7 (Case rep.)
The relative importance of acromial morphology and age with respect to rotator cuff pathology (Gill et al). 2002;11:327-30
Reliability of 3 methods for assessing shoulder strength (Hayes et al). 2002;11:33-9
Structural factors affecting the outcome of rotator cuff repair (Sonnabend and Watson). 2002;11:212-18
Tuberoplasty: creation of an acromiohumeral articulation—a treatment option for massive, irreparable rotator cuff tears (Fenlin et al). 2002;11:136-42

Rupture
Complete rupture of the distal biceps brachii tendon in female patients: a report of 2 cases (Toczylowski et al). 2002;11:516-18 (Case rep.)
Reconstruction of chronic distal biceps tendon rupture with use of fascia lata combined with a ligament augmentation device: a report of 3 cases (Kaplan et al). 2002;11:633-6 (Case rep.)
Traumatic latissimus dorsi tendon rupture (Livesey et al). 2002;11:642-4 (Case rep.)

S

Salter Harris injury
Subclavian vein obstruction caused by an unreduced type II Salter Harris injury of the medial clavicular physis (Emms et al). 2002;11:271-3 (Case rep.)

Scapula
An alternative portal for scapulothoracic arthroscopy (Chan et al). 2002;11:235-8

Qualitative clinical evaluation of scapular dysfunction: a reliability study (Kibler et al). 2002;11:550-6
Results of pectoralis major transfer with fascia lata autograft augmentation for scapula winging (Noerdlinger et al). 2002;11:345-50
Scapular body nonunion: a case report (Ferraz et al). 2002;11:98-100 (Case rep.)
Scapulothoracic bursectomy for snapping scapular syndrome (Nicholson and Duckworth). 2002;11:80-5

Self-reporting
American Shoulder and Elbow Surgeons Standardized Shoulder Assessment Form, patient self-report section: reliability, validity, and responsiveness (Michener et al). 2002;11:587-94

Shoulder
American Shoulder and Elbow Surgeons Standardized Shoulder Assessment Form, patient self-report section: reliability, validity, and responsiveness (Michener et al). 2002;11:587-94
Analysis of the bicipital groove as a landmark for humeral head replacement (Itamura et al). 2002;11:322-6
An examination of bias in shoulder scoring instruments among healthy collegiate and recreational athletes (Brinker et al). 2002;11:463-9
Cemented polyethylene versus uncemented metal-backed glenoid components in total shoulder arthroplasty: a prospective, double-blind, randomized study (Boileau et al). 2002;11:351-9
Characteristics of unsatisfactory shoulder arthroplasties (Hasan et al). 2002;11:431-41
The effects of plyometric training on proprioception and selected muscle performance characteristics (Swanik et al). 2002;11:579-86
Fit of current glenoid component designs: an anatomic cadaver study (Checroun et al). 2002;11:614-17
Functional outcome after shoulder arthroplasty for primary osteoarthritis: a multicenter study (Norris and Iannotti). 2002;11:130-5
Inferior capsular shift for multidirectional instability following failed laser-assisted capsular shrinkage (Massoud et al). 2002;11:305-8
Interobserver and intraobserver reliability of the measurement of shoulder internal rotation by vertebral level (Edwards et al). 2002;11:40-7
"Locking" of the shoulder: an unusual late complication of the modified Bristow procedure (Mellor and Patel). 2002;11:519-20 (Case rep.)
Long-term effects of extracorporeal shockwave therapy in chronic calcific tendinitis of the shoulder (Daecke et al). 2002;11:476-80
Magnetic resonance imaging of painful shoulder arthroplasty (Sperling et al). 2002;11:315-21
Metastatic carcinoma to the acromion in a patient after total shoulder arthroplasty: a case report and review of the literature (Woodhouse et al). 2002;11:645-7 (Case rep.)
The mineralization patterns at the subchondral bone plate of the glenoid cavity in healthy shoulders (Schulz et al). 2002;11:174-81
Observation on retrieved Hylamer glenoids in shoulder arthroplasty: problems associated with sterilization by gamma irradiation in air (Rockwood and Wirth). 2002;11:191-7 (Review article)
Patients' expectations of shoulder surgery (Mancuso et al). 2002;11:541-9
The posterior subdeltoid approach: a modified access to the posterior glenohumeral joint (Steinmann) (Letter); (Jerosch) (Reply). 2002;11:280
Prosthetic replacement in the treatment of osteoarthritis of the shoulder: early results of 268 cases (Godèneche et al). 2002;11:11-18
Reimplantation of a glenoid component after component removal and allograft bone grafting: a report of 3 cases (Antuña et al). 2002;11:637-41 (Case rep.)
Reliability of 3 methods for assessing shoulder strength (Hayes et al). 2002;11:33-9
Results of arthroscopic subacromial decompression in patients with subacromial impingement and glenohumeral degenerative joint disease (Guyette et al). 2002;11:299-304
The role of arthroscopy for the problem shoulder arthroplasty (Tytherleigh-Strong et al). 2002;11:230-4
Shoulder arthroplasty for proximal humeral malunions: long-term results (Antuña et al). 2002;11:122-9
Shoulder arthroplasty for proximal humeral nonunions (Añtuna et al). 2002;11:114-21
Shoulder instability related to epileptic seizures (Bühler and Gerber). 2002;11:339-44
Surgical management of the symptomatic os acromiale (Ortiguera and Buss). 2002;11:521-8 (Review article)
Three-dimensional relationship of the glenohumeral joint in the elevated position in shoulders with multidirectional instability (Inui et al). 2002;11:510-15
Total shoulder arthroplasty in pigmented villonodular synovitis: a case report (Toro et al). 2002;11:188-90 (Case rep.)
Traumatic latissimus dorsi tendon rupture (Livesey et al). 2002;11:642-4 (Case rep.)
The use of thermal capsulorrhaphy in the treatment of multidirectional instability (Fitzgerald et al). 2002;11:108-13

Shoulder dislocation
Compression of the brachial plexus in a patient with false aneurysm of the axillary artery as a result of anterior shoulder dislocation (Helm and Watson). 2002;11:278-9 (Case rep.)
Development of arthrosis following dislocation of the shoulder: a case-control study (Marx et al). 2002;11:1-5
Intra-articular ganglion cyst (paralabral cyst) of the shoulder associated with recurrent anterior dislocation (Yukata et al). 2002;11:95-7 (Case rep.)

Shoulder impingement syndrome
Arthroscopic versus open acromioplasty: a prospective, randomized, blinded study (Spangehl et al). 2002;11:101-7

Intraoperative magnetic resonance imaging analysis of the subacromial space in the impingement sign positions (Roberts et al). 2002;11:595-9

Spinoglenoid notch
Clinical evaluation and treatment of spinoglenoid notch ganglion cysts (Piatt et al). 2002;11:600-4

Sternoclavicular joint
Ligamentous restraints to anterior and posterior translation of the sternoclavicular joint (Spencer et al). 2002;11:43-7
Subclavian vein obstruction caused by an unreduced type II Salter Harris injury of the medial clavicular physis (Emms et al). 2002;11:271-3 (Case rep.)

Strength
Reliability of 3 methods for assessing shoulder strength (Hayes et al). 2002;11:33-9

Subacromial impingement syndrome; see Shoulder impingement syndrome

Subclavian vein
Subclavian vein obstruction caused by an unreduced type II Salter Harris injury of the medial clavicular physis (Emms et al). 2002;11:271-3 (Case rep.)

Subluxation
Nonrecoverable strain fields of the anteroinferior glenohumeral capsule under subluxation (Malicky et al). 2002;11:529-40

Suprascapular nerve
Intra-articular ganglion cyst (paralabral cyst) of the shoulder associated with recurrent anterior dislocation (Yukata et al). 2002;11:95-7 (Case rep.)

Supraspinatus tendon
The effect of fibrin clot on healing rat supraspinatus tendon defects (Thomopoulos et al). 2002;11:239-47
Intratendinous strain fields of the supraspinatus tendon: effect of a surgically created articular-surface rotator cuff tear (Bey et al). 2002;11:562-9
Tensile strength of the supraspinatus after reimplantation into a bony trough: an experimental study in rabbits (Uhthoff et al). 2002;11:504-9

Sutures
Treatment of acromioclavicular joint: suture or suture anchors? (Breslow et al). 2002;11:225-9

Synovitis, pigmented villonodular
Pigmented villonodular synovitis of the elbow in a 6-year old girl (Aydingöz et al). 2002;11:274-7 (Case rep.)
Total shoulder arthroplasty in pigmented villonodular synovitis: a case report (Toro et al). 2002;11:188-90 (Case rep.)

T

Tears
Accuracy of magnetic resonance imaging in determining the presence and size of recurrent rotator cuff tears (Motamedi et al). 2002;11:6-10
Acromial shapes and extension of rotator cuff tears: magnetic resonance imaging evaluation (Hirano et al). 2002;11:576-8
Arthroscopic repair of medium to large full-thickness rotator cuff tears: outcome at 2- to 6-year follow-up (Murray et al). 2002;11:19-24
A comparison of clinical estimation, ultrasonography, magnetic resonance imaging, and arthroscopy in determining the size of rotator cuff tears (Bryant et al). 2002;11:219-24
Experimental fascial autografting for the supraspinatus tendon defect: remodeling process of the grafted fascia and the insertion into bone (Sano et al). 2002;11:166-73
Glenoid osteophyte and rotator cuff tears: an anatomic study (Konno et al). 2002;11:72-9
Intratendinous strain fields of the supraspinatus tendon: effect of a surgically created articular-surface rotator cuff tear (Bey et al). 2002;11:562-9
Persistent aseptic fistula after rotator cuff repair: fistuloscopic approach (Dossche et al). 2002;11:86-7 (Case rep.)
Structural factors affecting the outcome of rotator cuff repair (Sonnabend and Watson). 2002;11:212-18
Tuberoplasty: creation of an acromiohumeral articulation—a treatment option for massive, irreparable rotator cuff tears (Fenlin et al). 2002;11:136-42

Tendinitis
Calcific tendinitis at the biceps brachii insertion of a child: a case report (Sakamoto and Kozuki). 2002;11:88-91 (Case rep.)
Long-term effects of extracorporeal shockwave therapy in chronic calcific tendinitis of the shoulder (Daecke et al). 2002;11:476-80

Tennis elbow
Biomechanical evaluation of braces used for the treatment of epicondylitis (Walther et al). 2002;11:265-70
Expression of neuropeptides and cytokines at the extensor carpi radialis brevis muscle origin (Uchio et al). 2002;11:570-5
Radiographic analysis of lateral epicondylitis (Pomerance). 2002;11:156-7
Reactive bone formation after surgery for lateral epicondylitis (Shapiro and Weiland). 2002;11:383-5 (Case rep.)

Translation
Ligamentous restraints to anterior and posterior translation of the sternoclavicular joint (Spencer et al). 2002;11:43-7

Transplantation, autologous
Experimental fascial autografting for the supraspinatus tendon defect: remodeling process of the grafted fascia and the insertion into bone (Sano et al). 2002;11:166-73
Results of pectoralis major transfer with fascia lata autograft augmentation for scapula winging (Noerdlinger et al). 2002;11:345-50

Tuberoplasty
Tuberoplasty: creation of an acromiohumeral articulation—a treatment option for massive, irreparable rotator cuff tears (Fenlin et al). 2002;11:136-42

Tuberosity
Radiographic study of the anatomic relationships of the greater tuberosity (Takase et al). 2002;11: 557-61
Stability of tuberosity reattachment in proximal humeral hemiarthroplasty (Frankle et al). 2002; 11:413-20
Tuberosity malposition and migration: reasons for poor outcomes after hemiarthroplasty for displaced fractures of the proximal humerus (Boileau et al). 2002;11:401-12

U

Ultrasonography
A comparison of clinical estimation, ultrasonography, magnetic resonance imaging, and arthroscopy in determining the size of rotator cuff tears (Bryant et al). 2002;11:219-24